

NON RETURN VALVES

NON RETURN VALVE

Acc. to ISO 7289



Art.-No.	Connection
08635W61	1/4"
0863562	1/4" LH
0863563	3/8"
203011054P	3/8" LH


KAYSER INFORMATION: EXAMINATION REQUIREMENT FOR FLASHBACK

The law requires 1x annual testing of safety devices acc. BG R500 Section 2:26 Section 3:27 by a qualified person (proficiency level 2)

- No leaks
- On security against reverse gas flow
- In Flow

This test must be documented by the user.

KAYSER INFORMATION: COMBINATIONS COUPLINGS



A) Quick coupling for pressure regulator

B) Hose splicers

C) Hoses unfitted

D) Coupling for unfitted hoses

E) Shank coupling

F) Hose tail pieces

G) Hoses fitted

H) Couplings for fitted hoses

By appropriate couplings and pins hoses can be quickly connected and extended in this way.

QUICK COUPLING

COUPLING PINS STAINLESS STEEL

Acc. to ISO 7289. Marking: 1 stripe = Oxygen, 2 stripes = Fuel gas, 3 stripes = Neutral gases



Art.-No.	Gas	Inlet	Application
64196	Oxygen	G1/4" fem.	shank
64296	Fuel gas	G3/8" LH fem.	shank
64396	Neutral gases	G1/4" fem.	device
64195	Oxygen	Nozzle 6 mm	unfitted hose
64194	Oxygen	Nozzle 4 mm	unfitted hose
64295	Fuel gas	Nozzle 8 mm	unfitted hose
64294	Fuel gas	Nozzle 4 mm	unfitted hose
64293	Fuel gas	Nozzle 6 mm	unfitted hose
64330	Neutral gases	Nozzle 6 mm	unfitted hose
64300	Oxygen	G1/4" male	fitted hoses
64310	Fuel gas	G3/8" LH male	fitted hoses
64320	Neutral gases	G1/4" male	fitted hoses

QUICK COUPLING WITH AUTOMATIC CUTOFF

Acc. to ISO 7289.



Art.-No.	Gas	Inlet	Application
64105	Oxygen	Nozzle 6 mm	unfitted hose
64305	Neutral gases	Nozzle 6 mm	unfitted hose
64205	Fuel gas	Nozzle 9 mm	unfitted hose
64207	Fuel gas	Nozzle 11 mm	unfitted hose
64208	Fuel gas	Nozzle 6 mm	unfitted hose
64110	Oxygen	G1/4" male	fitted hoses
64210	Fuel gas	G3/8" LH male	fitted hoses
64215	Neutral gases	G1/4" male	fitted hoses
64600	Oxygen	G1/4" male	pressure regulator
64610	Fuel gas	G3/8" LH male	pressure regulator
64620	Neutral gases	G1/4" male	pressure regulator